

VION®

PRODUCT GUIDE
DEVELOPED BY WILLIAM SMITH

VION®



DEVELOPED
AND
DELIVERED
BY THE TRADE
BRAND
YOU TRUST..



4 REASONS WHY YOU
SHOULD SWITCH ON TO VION

REASON #1
NO RISK.
PERFORMANCE GUARANTEED,
OR YOUR MONEY BACK.

REASON #2
MORE FOR YOUR MONEY

REASON #3
OVER 80 PRODUCTS
AND COUNTING.

REASON #4
DEVELOPED AND DELIVERED BY
THE TRADE BRAND YOU TRUST.

ORDERING
Call 01833 690305, email materials@williamsmith.co.uk
or order online 24hrs a day at www.williamsmith.co.uk

OPENING HOURS
8am - 6pm Monday to Friday with same day despatch
available on orders received before 6pm.

PERSONABLE SERVICE
Speak to one of our knowledgeable Account Managers
who will advise you about the right product for your application.

DEVELOPED BY WILLIAM SMITH.

SHORT TERM FILMS	03
INTERMEDIATE FILMS	05
OVERLAMINATES	09
FLOOR GRAPHIC KITS	11
CHALKBOARD FILM	13
DRY WIPE FILMS	14
DECORATIVE WINDOW FILMS	15
SOLAR, PRIVACY & SAFTEY WINDOW FILMS	21
INTERIOR FILMS	25
HAZARD WARNING TAPE	27
FLUORESCENT FILM	28
REFLECTIVE FILMS	29
APPLICATION TAPES	31
ACCESSORIES	33



VION

VP3000 SERIES

Short Term Digital Print Film

This material is a three year monomeric calendered digital printing film, suitable for short-term sign and graphic applications on to flat surfaces.

The range is available in white or transparent variants with gloss or matt finish and a grey or clear permanent or high tack solvent based adhesive. A V-Flow air release liner is now also available for bubble free application.

Key features:

- High quality clean white face film
- Transparent print option available
- Gloss and matt transparent options available
- Superb printability
- Heavy duty liner offers excellent stability and layflat
- Solvent based adhesive

Now available VP3900-12HT featuring high tack adhesive - perfect for low energy surfaces

SPECIFICATION TABLE	VP3000	VP3900
Application Temperature (°C)	+10°C Minimum	+10°C Minimum
Applications	Promotional Signage, Short-term Vehicle Graphics	Low Energy Surfaces
Film Type	Monomeric Calendered	Monomeric Calendered
Max. Durability*	Up to 5 Years (Unprinted)	Up to 5 Years (Unprinted)
Surface Type	Flat, Simple Curves	Flat
Adhesive Type	Solvent based, pressure-sensitive V-Flow (optional)	High Tack
Adhesive Colour	Clear, Grey	Grey
Removability	Permanent, Removable	Permanent
Surface Finish	Gloss, Matt	Matt
Thickness (film)	80 µm	100 µm
Usage	Internal, External	Internal, External

* Up to 3 Years (Printed)



“ We have used VION VP3000 and Overlamine to produce graphics for exhibition stands. We chose the material for its reduced shrink-back properties; VP3000 virtually eliminates this problem. It’s a great film, easy to use and gives excellent print coverage. We would certainly purchase VP3000 again.

Jane Tesseyman, Est. Display ”



VION VP3000 SERIES RANGE

- Products:**
- VP3000-01 Gloss White
 - VP3000-02 Gloss White Grey Adhesive
 - VP3000-02R Gloss White Grey Removable
 - VP3000-12R Matt White Grey Removable
 - VP3000-05 Gloss Transparent
 - VP3000-15 Matt Transparent
 - VP3900-12HT Matt White High Tack (Fire Tested)*
 - VP3000-02 VF Gloss White Grey Adhesive V-Flow

- Available Sizes:**
- 1372mm x 50m
 - 1524mm x 50m
 - NEW** 1600mm x 50m (not available in VP3000-02 VF)

Recommended Overlamine:

Dual purpose VP3000-05 Gloss Clear and VP3000-15 Matt clear are also the recommended overlaminates

* VION High Tack calendered digital print films have successfully been certified as meeting the requirements of Class B, s1, d0 as specified in BS EN 13501-1:2018.

VION

PVC-FREE

VP4000 SERIES

Intermediate Digital Print Film

This material is a four year PVC-free polypropylene gloss or matt digital print film, suitable for mid-term applications on flat or slightly curved surfaces.

It is available in white or transparent variants with gloss or matt finishes with a permanent adhesive. A V-Flow air release option is available for bubble-free application also.

Key features:

- PVC-Free
- High-quality clean white face film
- Transparent print option available
- Superb printability
- Compatible with Latex and UV print systems
- Excellent fire ratings to allow use in internal public spaces



Available with V-Flow bubble-free adhesive technology

SPECIFICATION TABLE	VP4000
Application Temp. (°C)	+10°C Minimum
Applications	Short to Medium-term Signage, Interior Decoration, Promotional Graphics
Film Type	PVC-Free Polypropylene
Max. Durability*	Up to 4 Years (Unprinted)
Surface Type	Flat, Simple Curves
Adhesive Type	Acrylic-based, V-Flow (Optional)
Adhesive Colour	Clear
Removability	Permanent
Surface Finish	Gloss, Matt
Thickness (film)	65 µm
Usage	Internal, External



VION VP4000 SERIES

Products:

- VP4000-01 Gloss White PVC Free
- VP4000-11 Matt White PVC Free
- VP4000-05 Transparent PVC Free
- VP4000-01 VF Gloss White PVC Free V-Flow
- VP4000-11 VF Matt White PVC Free V-Flow
- VP4000-05 VF Transparent PVC Free V-Flow

Available Sizes:

1370mm x 50m

Recommended Overlamine:

- VL4000-05 Gloss PVC-Free Laminate
- VL4000-15 Matt PVC-Free Laminate

* VION VP4000 PVC-free digital print films have successfully been certified as meeting the requirements of Class Bs1/d0 as specified in ISO 13501-1/ISO11925-2.

VION

VP5000 SERIES

Intermediate Digital Print Film

This material is a five year polymeric calendered gloss or matt digital printing film, suitable for mid-term applications onto flat surfaces.

It is available in white or transparent variants with gloss or matt finishes and a grey or clear permanent adhesive. A V-Flow air release adhesive is available for bubble free application along with a gloss high tack version for low energy surfaces.

VP5000 Series is suitable for use as a print film and as an overlaminate.

- Key features:
- High quality clean white face film
 - Transparent print option available
 - Superb printability with printer profiles available
 - Heavy duty liner offers excellent stability and layflat
 - High Tack adhesive film available

Available with V-Flow bubble-free adhesive technology

SPECIFICATION TABLE	VP5100	VP5900
Application Temp. (°C)	+10°C Minimum	+10°C Minimum
Applications	Signage, Fleet, Interior Decoration	Low Energy Surfaces
Film Type	Polymeric Calendered	Polymeric Calendered
Max. Durability*	Up to 7 Years (Unprinted)	Up to 7 Years (Unprinted)
Surface Type	Flat, Simple Curves	Flat
Adhesive Type	Pressure-sensitive, V-Flow (optional)	High Tack
Adhesive Colour	Grey, Clear	Grey
Removability	Permanent	Permanent
Surface Finish	Gloss, Matt, Transparent	Gloss
Thickness (film)	75 µm	75 µm
Usage	Internal, External	Internal, External

* Up to 7 Years (Printed)



VION VP5000 SERIES

- Products:
- VP5100-01 Gloss White Clear Adhesive
 - VP5100-02 Gloss White Grey Adhesive
 - VP5100-02 VF Gloss White V Flow
 - VP5100-05 Gloss Transparent
 - VP5100-15 Matt Transparent
 - VP5900-02 HT Gloss White High Tack (Fire Tested)*

- Available Sizes:
- 1372mm x 25m / 50m
 - 1524mm x 25m / 50m
 - NEW 1600mm x 50m (not available in VP3000-02 VF)

- Recommended Overlamine:
- VP5100-05 (Gloss)
 - VP5100-15 (Matt)



* VION High Tack calendered digital print films have successfully been certified as meeting the requirements of Class B, s1, d0 as specified in BS EN 13501-1:2018.

VION

MONOMERIC
OVERLAMINATE

A transparent, monomeric calendered film with a clear, permanent, pressure-sensitive adhesive. This film is suitable for use as a print film and overlaminate.

It is recommended for use with any print film in the VP3000 Series range. For use on flat and slightly curved surfaces with three year durability.

VION VP3000 SERIES

Products:
VP3000-05 Gloss, Transparent
VP3000-15 Matt, Transparent

Available Sizes:
1372mm x 25m / 50m
1524mm x 125m / 50m
NEW 1600m x 50m

SPECIFICATION TABLE	VP3000
Applications	Promotional Signage, Short-term Vehicle Graphics
Film Type	Monomeric Calendered
Max. Durability	Up to 3 Years
Surface Type	Flat, Simple Curves
Adhesive Type	Pressure-sensitive
Adhesive Colour	Clear
Removability	Permanent, Removable
Surface Finish	Gloss, Matt
Thickness (film)	80 µm
Usage	Internal, External

VION

POLYMERIC
OVERLAMINATE

A transparent, polymeric calendered film with a clear, permanent, pressure-sensitive adhesive. This film is suitable for use as a print film and overlaminate.

It is recommended for use with any print film in the VP5000 Series range. For use on flat and slightly curved surfaces with five year durability.

VION VP5000 SERIES

Products:
VP5100-05 Gloss, Transparent
VP5100-15 Matt, Transparent

Available Sizes:
1372mm x 25m / 50m
1524mm x 25m / 50m
NEW 1600m x 50m

SPECIFICATION TABLE	VP5100
Applications	Signage, Fleet, Interior Decoration
Film Type	Polymeric Calendered
Max. Durability	Up to 5 Years
Surface Type	Flat, Simple Curves
Adhesive Type	Pressure-sensitive
Adhesive Colour	Clear
Removability	Permanent
Surface Finish	Gloss, Matt
Thickness (film)	75 µm
Usage	Internal, External

VION

PVC-FREE
OVERLAMINATE



A PVC-free polypropylene overlaminate with a clear, permanent, pressure-sensitive adhesive. The laminate is available in gloss or matt finishes.

It is recommended for use with any print film in the PVC-free VP4000 Series range. For use on flat and slightly curved surfaces with four-year durability.

VION VL4000 SERIES

Products:
VL4000-05 Gloss PVC-Free Laminate
VL4000-15 Matt PVC-Free Laminate

Available Sizes:
1370mm x 50m

SPECIFICATION TABLE	VL4000
Applications	Short to Medium-term Signage, Interior Decoration, Promotional Graphics
Film Type	PVC-Free Polypropylene
Max. Durability	Up to 4 Years
Surface Type	Flat, Simple Curves
Adhesive Type	Acrylic-based
Adhesive Colour	Clear
Removability	Permanent
Surface Finish	Gloss, Matt
Thickness (film)	65 µm
Usage	Internal



VION

VL100FG

SERIES KIT

Internal 3 Month Floor Graphic Kit

New, VION 3 month floor graphic kit, with a choice of high tack, removable or V-Flow (air egress channels) adhesive.

Key Features:

- High quality 100 micron
- Monomeric calendered
- Anti-slip overlamine (DIN 51130) that promises no milking or silvering
- Suitable for flat surfaces.

Products:

- VP3000-02R/VL100FG – White Removable/Matt Textured Laminate
- VP3000-02 VF/VL100FG – White V-Flow/Matt Textured Laminate
- VP3900-12 HT/VL100FG – White High Tack/Matt Textured Laminate

Available Sizes:

- 1370mm x 50m
- 1370mm x 25m
- 1370mm x 10m



SPECIFICATION TABLE	VC5500-20
Application Temperature (°C)	+10°C Minimum
Applications	Promotional, Short-term Floor Graphics
Film Type	Monomeric Calendered
Max. Durability	3 months
Surface Type	Flat
Adhesive Type	Pressure-sensitive
Adhesive Colour	Clear
Removability	Permanent
Surface Finish	Gloss
Thickness (film)	80 µm base, 100 µm overlamine
Usage	Internal

VION

VL200FG

SERIES KIT

Internal 12 Month Floor Graphic Kit

New, VION 12 month floor graphic kit, with a choice of high tack, removable or V-Flow (air egress channels) adhesive.

Key Features:

- High quality 200 micron
- Monomeric calendered
- Anti-slip overlamine (DIN 51130) that promises no milking or silvering
- Suitable for flat surfaces.

Products:

- VP3000-02R/VL200FG – White Removable/Matt Textured Laminate
- VP3000-02 VF/VL200FG – White V-Flow/Matt Textured Laminate
- VP3900-12 HT/VL200FG – White High Tack/Matt Textured Laminate

Available Sizes:

- 1370mm x 50m
- 1370mm x 25m
- 1370mm x 10m



SPECIFICATION TABLE	VC5500-20
Application Temperature (°C)	+10°C Minimum
Applications	Floor Graphics
Film Type	Monomeric Calendered
Max. Durability	12 months
Surface Type	Flat
Adhesive Type	Pressure-sensitive
Adhesive Colour	Grey
Removability	Permanent, removable
Surface Finish	Gloss
Thickness (film)	80 µm base, 200 µm overlamine
Usage	Internal

VION[®]
CHALKBOARD
SERIES

CHALKBOARD SERIES is a 130 micron, matt black polymeric vinyl with a high tack permanent clear water-based adhesive. VION Chalkboard comes with a 140 gsm double-sided PE coated V-Flow air channel technology liner. Suitable for short to medium term interior and exterior applications with up to 5 years unprinted durability.

Printable with white UV curable inks, making it possible to create a custom designs.

- Key Features:**
- Polymeric Calendered
 - 5 year durability
 - Internal and external use
 - 130 micron
 - High tack permanent, clear water-based adhesive

Products:
VION Chalkboard

Available Sizes:
1370mm x 50m

SPECIFICATION TABLE	VC5500-20
Application Temperature (°C)	+5°C Minimum
Applications	Walls
Film Type	Polymeric Calendered
Max. Durability	5 Years
Surface Type	Flat
Adhesive Type	Pressure-sensitive, high tack, V-Flow
Adhesive Colour	Clear
Removability	Removable
Surface Finish	Matt
Thickness (film)	130 µm
Usage	Internal and External



VION[®]
DRY WIPE
FILMS



A range of PET-based films used to transform smooth or glass surfaces into erasable dry wipe boards, perfect for use within offices, meeting rooms and decorative areas. With a removable adhesive to enable easy application onto glass partitions.

Available in both gloss white and gloss transparent options with up to 15 years durability.

- Key Features:**
- Up to 15 Year durability
 - Scratch resistant
 - Available in white and transparent options

Products:
VION Clearboard
VION Whiteboard

Available Sizes:
1520mm x 30m

SPECIFICATION TABLE	Dry Wipe Films
Applications	Glass Surfaces, Partitions
Film Type	Polyester
Max. Durability	Up to 15 Year
Surface Type	Flat
Adhesive Type	Pressure-sensitive
Adhesive Colour	Clear, White
Film Finish	Gloss
Thickness (film)	90 µm
Usage	Internal



VION

CRYSTAL

5500 SERIES

Etch Decorative Window Film

A polymeric calendered etch, crystal window film with a permanent pressure sensitive adhesive. Suitable for a wide range of internal decorative window applications on flat and slightly curved surfaces, both inside and out. Features a PE coated liner and clean, silver grey face film to give exceptional print finish.

Key Features:

- Polymeric Calendered PVC
- 5 – 7 year durability (unprinted)
- Internal, external use
- Clear, permanent adhesive

Products:

VC5500-20 – Clear Etch

Available Sizes:

1220mm x 50m

SPECIFICATION TABLE		VC5500-20
Application Temperature (°C)		+10°C Minimum
Applications		Window, Glass Surfaces
Film Type		Polymeric Calendered
Max. Durability		5 - 7 Years (unprinted)
Surface Type		Flat, Slightly Curved
Adhesive Type		Pressure-sensitive
Adhesive Colour		Clear
Removability		Permanent
Surface Finish		Gloss
Thickness (film)		100 µm
Usage		Internal, External



VION

OPAL

5500 SERIES

Opal Decorative Window Film

A polymeric calendered opal etch window film with a permanent pressure sensitive adhesive, also available with air release adhesive for bubble free application. Suitable for a wide range of internal decorative window applications on flat and slightly curved surfaces. The milky white coloured face film is ideal for digital printing.

Key Features:

- Polymeric Calendered
- 5 Year Durability
- Internal Use
- 80 Micron
- Clear, Permanent adhesive

Products:

VC5500-50 VF – VION Opal Etch V-Flow
VC5500-50 – VION Opal Etch

Available Sizes:

1520mm x 50m, 1220mm 50m

SPECIFICATION TABLE		VC5500-20
Application Temperature (°C)		+10°C Minimum
Applications		Window, Glass Surfaces
Film Type		Polymeric Calendered
Max. Durability		5 Years
Surface Type		Flat, Slightly Curved
Adhesive Type		Pressure-sensitive
Adhesive Colour		Clear
Removability		Permanent
Surface Finish		Gloss
Thickness (film)		80 µm
Usage		Internal



VION[®] DÉCOR WINDOW FILMS



Polyester Etch Decorative Window Film

Range of decorative window films that are ideal for internal application to customise windows and glass partitions. 40 micron self-adhesive polyester film with a 5 year durability, they are REACH RoHS compliant with a M1 Fire Resistance Rating.

Key Features:


- Up to 5 year durability
- Choice of patterns
- Scratch resistant

SPECIFICATION TABLE	Décor Window Films
Applications	Window, Glass Surfaces, Partitions
Film Type	Polyester
Max. Durability	Up to 5 Year
Surface Type	Flat
Adhesive Type	Pressure-sensitive
Adhesive Colour	Clear
Film Finish	Matt
Thickness (film)	40 µm
Usage	Internal



PRODUCTS


GRADUATION



SCALE



PIXEL



FLORIS



PERLA



MYSTIC



FUTURA

LINES



VISION*



STRUCTUR



LINÉAL



SIRIUS



STRATOS



EUROPA



BOREAL



LINEA 10



LINEA 18



IRIDIUM*



RIGA




SWING




STRADA

ABSTRACT



CELEST*




BRAIN



CITY*



BILBAO*



ASCENT



AQUATICA




FIGARO*



FLORAL



SAVANA*




TERRA*




LUSERNA*




LIANA



SPRING
WOOD




RIPPLE



KALEIDOSCOPE




JUNGLE



FONTANA*



CORTINA*




CLASSIC



DECORUM




ELEKTRO




VIENNA*

*LIMITED STOCK AVAILABILITY

GEOMETRIC




ATLAS* ATOMA BLOCK* CIRCUIT CLAUSTRA*



HIVE TECNO* THEMA* VITRA


BLACKOUT

OPALESCENT




BLACK OPAQUE WHITE OPAQUE BASIC*

GLOSS TRANSPARENT COLOURS




RASPBERRY 70 RED 66 PURPLE 70 TURQUOISE 50 PINK 50



BLUE 40 GREEN 50 GREEN 60 ORANGE CHOCOLATE

MATT TRANSPARENT COLOURS



MATT YELLOW MATT PINK MATT BLUE MATT GREY MATT GREEN MATT BRONZE

*LIMITED STOCK AVAILABILITY

For further information about the VION Decor range please see the Vion Décor Window Film brochure.

VION
DÉCOR
REEDED GLASS

Decorative Window Film

Part of the range of decorative window films VION Décor Reeded Glass simulates the look of expensive fluted crystal glass, providing obscured visibility, while allowing excellent light transmission. Ideal for internal applications to customise windows and glass partitions with up to 10-year durability.

Key Features:

- Clear pressure sensitive adhesive
- Up to 10 year durability

Products:

- VWF RG 6 - Reeded Glass Narrow
- VWF RG 14 - Reeded Glass Standard

Available Sizes:

1520mm x 50m

SPECIFICATION TABLE	VION Reeded Glass
Applications	Windows, Glass Surfaces
Film Type	Polyester
Max. Durability	Up to 10 Year
Surface Type	Flat
Adhesive Type	Pressure Sensitive Adhesive
Adhesive Colour	Clear
Removability	Non-Permanent
Surface Finish	Gloss*
Thickness (film)	80 µm
Usage	Internal

* Please note the film has a visible manufacturing line every 300mm

VION



DICHROIC FILM

Polymeric Etch Decorative Window Film

A PVC-free VION decorative window film, designed to create colour shifting effects on interior glass panels. Suitable for a wide range of internal application on flat and slightly curved surfaces.

Key Features:

- Film changes in hue and colour with every angle
- For window or glass application
- Clear, permanent, pressure sensitive adhesive
- Up to 5 year durability

Products:

Ambience Glow - warm tones including pink, yellow, turquoise and purple
Ambience Glacial - cool tones including blue, green and red

Available Sizes:

1360mm x 30m



SPECIFICATION TABLE	Dichroic
Application Temperature (°C)	+5°C Minimum
Applications	Window, Glass Surfaces
Film Type	Polyester
Max. Durability	Up to 5 Year
Surface Type	Flat
Adhesive Type	Pressure-sensitive
Adhesive Colour	Clear
Removability	Non Permanent
Surface Finish	Multi Colour
Thickness (film)	55 µm
Usage	Internal



VION



TOTAL UV SERIES

A 50 micron polyester UV protection window film with 10 year durability. For interior application on windows to absorb ultraviolet rays, through sunlight in order to reduce discoloration and fade, perfect for use within retail displays or areas exposed to sunlight.

The range:

VWF TOTAL UV 400 70% VLT



VION



COMBINATION SERIES

A 125 micron polyester safety and solar combination window film with 5 year durability. For interior application on windows to reduce solar heat gain by around 75%, whilst providing protection against glass breakage in the event of impact.

The range:

VWF NEUTRAL 35 COMBI 4 35% VLT



VION
SILVER
ECO SERIES



An economy polyester metallic mirror window film with a 7 year durability. Available in interior and exterior options for windows to reflect 70-80% of the sun's rays and resolve solar heat gain. The silver film rejects excess light to reduce glare.

The range:

VWF Silver 20 Eco	20% VLT
VWF Silver 30 Eco	30% VLT
VWF Silver 20 Eco Ext	20% VLT

VION
SILVER
PREMIUM SERIES



A premium polyester metallic mirror window film with 12 year durability. Available in interior and exterior options for windows to reflect 50-80% of the sun's rays and resolve solar heat gain. The film rejects excess light to reduce glare.

The range:

VWF Silver 50 Premium	50% VLT
VWF Silver 30 Premium	30% VLT
VWF Silver 20 Premium	20% VLT
VWF Silver 30 Premium Ext	30% VLT
VWF Silver 20 Premium Ext	20% VLT

VION
SILVER
COLOUR SERIES



A premium polyester coloured metallic mirror window film with 10 year durability. For interior application on windows to reflect 80% of the sun's rays and resolve solar heat gain. The film rejects excess light to reduce glare.

The range:

VWF Gold/Silver 20	20% VLT
VWF Green/Silver 20	20% VLT
VWF Blue/Silver 20	20% VLT
VWF Bronze/Silver 20	20% VLT

VION
INSULATION
SERIES



A premium polyester window film with 6 year durability. These films retain heat inside a building as well as reject energy from the sun coming in, to increase insulation performance by 40%. They can reduce costs on heating and air conditioning all year round.

The range:

VWF Insulate 20	20% VLT
VWF Insulate 50	50% VLT

VION
NEUTRAL
SERIES



A premium polyester neutral window film with 10 year durability. For interior application in a variety of light levels from dark, medium and light to resolve solar heat gain and glare issues. The neutral tint allows some natural light transmission with only a touch of colour in appearance.

The range:

VWF Neutral 25 Dark	25% VLT
VWF Neutral 35 Medium	35% VLT
VWF Neutral 50 Light	50% VLT

VION
PRIVACY
SERIES



Opal privacy films are for interior applications for maximum privacy and light with 5 year durability. Whilst completely opalescent, the matt white film filters out most natural light creating subtle ambient lighting conditions.

The range:

VWF Opal Privacy Film	60% VLT
-----------------------	---------

VION
ONE WAY MIRROR
PRIVACY SERIES



A premium polyester metallic one way mirror window film with 10 year durability. For interior application on windows to reflect 80%-90% of the sun's rays and resolve solar heat gain. The film rejects excess light to reduce glare.

The range:

VWF Mirror Privacy 90%	10% VLT
VWF Mirror Privacy 80%	20% VLT

VION
SAFETY
SERIES



Designed for use on the inside or outside of windows to provide an effective protection from injuries in the event of an impact, explosion or fire. The film also provides enhanced security protection from graffiti and vandalism.

The range:

VWF Safety 4	120 micron
VWF Safety 7	240 micron
VWF Safety 8	240 micron
VWF Safety 4 Ext	120 micron
VWF Graffiti Safety 4	120 micron



VION.
DÉCOR
INTERIOR FILMS

New Vion Décor Interior Films are a simple and cost-effective solution to refresh, customize and upcycle furniture and surfaces. Suitable for use on walls, door, cupboards, tables and furniture with up to 5 years durability.

Available in a choice of 25 colours which include a range of key on trend finishes including wood grain, fabric, colour, glitter, marble and concrete.

- Key Features:**
- Up to 5 year durability
 - Choice of colours and patterns
 - For flat and simple curved applications

SPECIFICATION TABLE		Décor Interior Films
Applications		Walls, Doors, Cupboards, Tables and Furniture
Film Type		Polymeric Calendered
Max. Durability		Up to 5 Year
Surface Type		Flat, Slightly Curved
Adhesive Type		Pressure Sensitive, Air Release
Adhesive Colour		Grey
Removability		Permanent
Surface Finish		Matt, Gloss
Thickness (film)		180 – 300 µm
Usage		Internal



PRODUCTS

COLOUR FINISHES



WOOD FINISHES



CONCRETE FINISHES



FABRIC FINISHES



MARBLE FINISHES



GLITTER FINISHES



VION.
SAFETY
TRACK

Anti-slip Hazard Warning Tape

VION Safety track is a printed floor grade, anti-slip black and yellow hazard warning tape with an aggressive adhesive. It is perfect to highlight danger or areas requiring extra caution both indoors and out including, scaffolds, steps, ramps, manufacturing environments and walkways. The tape is also ideal for providing visual contrast on stairs.

Safety track is suitable for both internal and external applications and is available off the shelf. The product is BGR Classified to R13 for slip resistance in use as a floor graphic.

Key Features:

- Durable, PVC anti-slip laminate
- Easy to clean; mop or wipe
- Simple to apply and remove
- Heavily embossed clear overlamine
- Classified to R13 for slip resistance in use on floors

Products:

- 3360 Safety Track - Black/Yellow
- 3360 Safety Track - Black/Yellow (6 Pack)

Available Sizes:

50mm x 18.3m

SPECIFICATION TABLE	VWF Safety 4
Applications	Building Windows
Film Type	Polyester
Max. Durability	Up to 10 Year
Surface Type	Flat
Adhesive Type	Pressure-sensitive
Adhesive Colour	Clear
Removability	Permanent
Thickness (film)	120 µm
Usage	Internal



VION.
FLUORESCENT
300 SERIES

Calendered PVC Fluorescent Film

A 3 year premium polymeric calendered PVC fluorescent film intended to provide enhanced visibility to signs, graphics and vehicle markings especially during low light hours of dusk or dawn. Formulated to give increased colour durability for longer outdoor use. Suitable for Chapter 8 chevron kits.

Key Features:

- For high visibility signs, graphics and vehicle markings
- Designed for extended outdoor use
- Up to 3 year durability
- High tack adhesive

Products:

- VFL300-01 Fluorescent Yellow Green
- VFL300-02 Fluorescent Red orange

Available Sizes:

- 610mm x 50m
- 1220mm x 50m



SPECIFICATION TABLE	Fluorescent 300 Series
Application Temperature (°C)	15°C Minimum
Applications	Vehicles, Signs
Film Type	Polymeric Calendered
Max. Durability	Up to 3 Year
Surface Type	Flat
Adhesive Type	High-Tack
Adhesive Colour	Clear
Removability	Permanent
Surface Finish	Gloss
Thickness (film)	160 µm
Usage	External

VION[®]

VR7000 PERMANENT ENGINEERING GRADE SERIES

Cast Retroreflective Film

A cast reflective vinyl for commercial graphics, signage and vehicle graphic applications on flat and slightly curved surfaces. This glass-bead reflective sheeting has an adhesive system that can be removed cleanly from many automotive paint surfaces with the use of heat.

With permanent pressure sensitive adhesive to provide a good bond to the most common substrates including painted steel and aluminium with up to 7 year durability.

- Key Features:**
- Applications on signage and vehicles with up to 7 year durability
 - For flat and slightly curved surfaces
 - Retains retroreflectivity when wet

Products:	
VR7000-10	White
VR7000-71	Yellow
VR7000-72	Red

Available Sizes:
1220mm x 50m

SPECIFICATION TABLE	VR7000
Application Temperature (°C)	15°C Minimum
Applications	Signage, Vehicles
Film Type	Cast
Max. Durability	Up to 7 Year
Surface Type	Flat, Slightly Curved
Adhesive Type	Pressure-sensitive
Adhesive Colour	Clear
Removability	Permanent
Surface Finish	Reflective
Thickness (film)	150 µm
Usage	External



VION[®]

VR5200 TEMPORARY ENGINEERING GRADE SERIES

Engineering Grade Reflective Sheeting

A short term engineer grade reflective sheeting product designed for temporary signage. Available in white and yellow with a permanent pressure-sensitive adhesive, making it ideal for street nameplates, parking plates and other every day signs with flat surfaces. Not suitable for vehicle applications.

- Key Features:**
- Up to 5 year durability
 - Suitable for temporary flat signage
 - Screen printable

Products:	
VR5200-10	White Temporary Engineering Grade
VR5200-11	Yellow Temporary Engineering Grade

Available Sizes:
1220mm x 45.7m

SPECIFICATION TABLE	VR5200
Application Temperature (°C)	18°C Minimum
Applications	Flat Signage
Film Type	Cast
Max. Durability	Up to 5 Year
Surface Type	Flat
Adhesive Type	Pressure-sensitive
Adhesive Colour	Clear
Removability	Permanent
Surface Finish	Reflective
Thickness (film)	120 µm
Usage	External



VION

PAPER APPLICATION TAPE

A range of paper tapes suitable for transferring small to large self-adhesive letters, logos and graphics.

With low tensile elongation and high wet strength, the tapes are designed to lay flat and adhere to the liner so that they do not wrinkle or curl. Available in VTP50 medium tack and VTP75 high tack standard grade paper tapes.

Key Features:

- Medium and high tack tapes
- Rubber adhesive provides excellent adhesion
- Carrier paper provides excellent stability and does not curl
- Easy rewinding

Products:

VTP75 High Tack
VTP50 Medium Tack

Available Sizes:

1220mm x 91.4m

VION

TRANSPARENT APPLICATION TAPE

A range of transparent tapes suitable for transferring self-adhesive letters, logos and graphics. Polypropylene based tapes with exceptional clarity and easy unwind properties Available in VTC52 transparent medium tack and VTC72 transparent high tack embossed options.

Key Features:

- Medium and high tack tapes
- Embossed version allows tearing in both directions
- Easily removed with no adhesive residue
- Excellent lay-flat to resist curling

Products:

VTC52 Medium Tack
VTC72 High Tack

Available Sizes:

1220mm x 91.4m



VION[®]

ACCESSORIES

SURFACE CLEANERS



SURFACE CLEANER (1L AND 1L 6PK)

Spray on any surface to remove dirt, grease and adhesive residue before film application. Surface cleaner works fast and dries during polishing.



SUPER DEGREASER (1L)

Harmless for car paint, removes all silicone, grease, tar, oil, adhesive, paraffin and car importers wax. Apply then remove with a cloth to achieve a perfectly degreased surface.



CAR WRAP CLEANER (500ML)

Cleans matt vehicle wrap films by loosening dirt that collects within the surface dimple of the film. Car Wrap Cleaner lifts more dirt than conventional cleaning methods and suspends it on the film surface, which can then be removed with a sponge (also supplied.)



WINDOW FILM TINT POLISH (500ML)

After applying the window film, the top layer can display stripes and matt areas from the squeegee. In time, the film can become scuffed or scratched by the seals and felt in window rebates. Apply Film Polish to provide a protective layer on window film.

APPLICATION FLUIDS



RIGHT ON APPLICATION FLUID (1L)

The perfect 3 minute application liquid for fast and effortless application of self-adhesive films without air bubbles and wrinkling.



RIGHT ON APPLICATION FLUID (5L)

The perfect 3 minute application liquid for fast and effortless application of self-adhesive films without air bubbles and wrinkling.

ADHESIVE REMOVERS



RIGHT OFF ADHESIVE REMOVER (1L)

Removes adhesive residue in just 2 minutes! Also removes tar, grease, gum, paint - harmless to all substrates.



RIGHT OFF ADHESIVE REMOVER (5L)

Removes adhesive residue in just 2 minutes! Also removes tar, grease, gum, paint - harmless to all substrates.

BUNDLES

1: WINDOW APPLICATION KIT BUNDLE



Included in this kit:

- Right On Application Fluid (1L)
- Right Off Adhesive Remover (1L)
- Surface Cleaner (1L)
- Window Film Polish (500ML)
- Clear Max Squeegee
- Blue Max Squeegee
- Metal Squeegee Handle
- Spraymaster

2: APPLICATION AND CLEANING FLUID BUNDLE






Included in this kit:

- Right On Application Fluid (1L)
- Right Off Adhesive Remover (1L)
- Surface Cleaner (1L)



William Smith

01833 690305
info@williamsmith.co.uk
www.williamsmith.co.uk

 @WilliamSmith1832
 @william_smith_1832
 William Smith Group 1832

