



ARCHITEXTURAL™

Surface. Designed.





REFURB WITH FILM

Looking for an alternative refurbishment solution?

Self-adhesive films could be a simple and cost-effective alternative for your interior design projects. Create faux finishes by wrapping existing surfaces, saving landfill and avoiding the disruption of traditional refurbishments.

Looking for an installer?

We have a growing network of fully trained applicators who will be able to supply and install your projects with confidence. This elite group of installers, from fit out, sign and graphics companies, all share the same mission, to be one of the first to uncover exceptional ways to renovate building interiors and exteriors and to tap into the growing market of architectural finishes.

Architextural...

UK'S LARGEST STOCKIST OF ARCHITECTURAL FILM BRANDS.

1000+ patterns now on our shelves
More choice for your clients
No more long lead times

See our full range of films;
architextural.co.uk



STANDARD RE-FITS
COST 7 TIMES MORE




NO LOSS OF
REVENUE



INCREASE REVENUE
FOR PREMIUM ROOMS



QUICK INSTALL WITH
NO BUILDING WORK



NOT JUST FOR
FLAT SURFACES



1500 REALISTIC TEXTURES
AND PATTERNS



TRANSFORM ONE ITEM
OR TRANSFORM MANY



A SUSTAINABLE
SOLUTION




FIRE TESTED, MOISTURE
AND HEAT RESISTANT

THEY SAY THAT FORM
FOLLOWS FUNCTION.
**WE SAY FORM
PRESERVES FUNCTION.**



TRANSFORMING INTERIORS

With eco-friendly materials fast becoming rising stars in the world of interiors, there are multiple benefits of using architectural films and how they can refurbish existing surfaces. Gone are the days when wrapping was exclusive to vehicles; architectural films have opened up a wealth of design possibilities.



SUSTAINABLE SOLUTION

On average, it costs seven times more to rip out and replace interiors. Wrapping with architectural films is a novel way to upcycle existing fixtures and fittings, rather than send to landfill.





MINIMAL DISRUPTION


Architectural films can be applied in situ, with no noise, mess or waste. Little equipment and minimal prep is needed, meaning less downtime and inconvenience for businesses and they can stay open throughout.

The films are lightweight and conformable so they can be heated and stretched around many shapes, corners and contours without the need for edge banding.



APPROVED

All finishes are fire tested and meet building regulations. And as the product is a PVC solution, it is fully water and heat resistant, as well as and hygienic, all of which are important in high-traffic venues such as gyms, bars and restaurants.





APPLICATION INSPIRATION





APPLICATION INSPIRATION

Here's a selection of recent transformations using self-adhesive architectural films. Wrapping existing surfaces is a cost-effective design solution for interior and exterior new building refurbishment projects, these vinyl films realistically recreate the visual effect of natural materials at a fraction of the cost.



Bar BEFORE



Bar AFTER



Shop counter BEFORE



Shop counter AFTER



Reception desk BEFORE



Reception desk AFTER



Kitchen cupboards BEFORE



Kitchen cupboards AFTER



Bar BEFORE




Bar AFTER



Display shelving BEFORE



Display shelving AFTER



Doors BEFORE



Doors AFTER



Lobby BEFORE



Lobby AFTER



OUR BRANDS

Architectural finishes are highly engineered, durable films, designed to look and feel like real-life materials. The films are often applied with heat, by skilled installers, to provide a realistic hardwearing finish. This allows you to create bespoke designs using less expensive materials, by wrapping them to look like authentic marble, wood or concrete.

With hundreds of patterns in stock, the possibilities really are unlimited, making in-vogue design more than achievable with architectural finishes. Mimicking the aesthetics of natural materials, architectural films offer unrivalled choice of on-trend patterns and an alternative method to upcycle existing substrates in an affordable, high-quality finish.



As the fastest growing brand of architectural film, Cover Styl' films are available in hundreds of colours and finishes. Used widely throughout Europe, this emerging brand is a fantastic option where budgets are tight as a great value engineering proposition for refurbishments.

The range is polymeric calendered, with a durability of up to 10 years for indoor applications. Available in a huge range of finishes including wood grains, marble, leather, super matt, glitter, fabric, colours and stone.

The films are robust and durable for wrapping existing surfaces. We stock the largest selection in the UK, offering affordable options by the metre.





ARCHITECTURAL FINISHES

Architextural, are part of William Smith Group 1832 and we stock the largest range of architectural films in the UK. Everything you see on the following pages are held in stock and available by the metre.

Visit our website to order samples of any of the finishes
www.architextural.co.uk



With hundreds of finishes in stock, the possibilities really are unlimited, making in-vogue design more than achievable with architectural finishes.

Choose from our extensive collection of finishes including Wood, Colours, Metallic, Stone, Fabric and Leather.





WOOD FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching









Overlaps preferred, splice joints not recommended



WOOD FINISHES










 A4	 A1	 AA15	 AA12	 AA13	 AA09	 AA11
 AA08	 AA14	 AB02	 AB03	 AB06	 AB05	 AB07
 AC02	 AC04	 AC01	 AF07	 AF02	 AF03	 AF09
 AF05	 AF08	 AF06	 AF01	 AG13	 AG01	 AG07
 AG04	 AG20	 AG14	 AG21	 AG08	 AG11	 AG02






WOOD FINISHES



							
AG16	AG18	AG15	AG17	AG09	AG10	AL29	AL36
							
AL23	AL10	AL30	AL26	AL08	AL28	AL24	AL34
							
AL14	AL12	AL25	AT03	AT05	AT02	AT06	AZ10
							
AZ06	AZ07	AZ02	AZ03	AZ01	AZ04	B50	B6
							
B5	B8	B4	B3	B1	B9	CT91	CT102














WOOD FINISHES



							
CT18	CT17	CT35	CT73	CT74	CT92	CT93	CT95
							
CT90	CT19	CT13	CT14	CT76	CT94	CT79	CT100
							
CT101	CT40	CT96	CT28	CT33	CT84	CT62	CT20
							
CT45	CT49	CT16	CT97	CT48	CT41	CT01	CT06
							
CT53	CT46	CT75	CT98	CT99	CT78	CT87	CT77






 COVER STYL'

WOOD FINISHES

							
D4	D1	E4	E50	F5	F4	F6	CT08
							
G0	G6	AF10	AT04	H10	H50	H7	H6
							
CT82	H4	H5	I9	I14	I11	I7	I10
							
J17	J14	J18	J2	MA10	MA16	MA12	MA14
							
NE63	NE61	NE66	NE67	NE64	NE65	NE57	NE13












 COVER STYL'

WOOD FINISHES

							
CT70	CT10	CT44	CT22	CT71	CT54	CT05	F7
							
CT09	CT43	CT29	CT24	CT26	CT89	CT57	CT66
							
CT21	CT25	CT02	CT67	CT60	CT56	CT80	CT88
							
CT15	CT42	CT37	CT36	CT27	CT86	CT69	CT68
							
CT55	CT59	CT61	CT52	CT58	CT04	CT50	C2


WOOD FINISHES



							
NE68	NE62	NE45	NE46	NF17	NF18	NF85	NF86
							
NF21	NF58	NF64	NF29	NF40	NF19	NF32	NF75
							
NF27	NF20	NF22	NF23	NF24	NF25	NF28	NF36
							
NF34	NF31	NF87	NF72	NF73	NF62	NF96	NF53
							
NF76	NF42	NF74	NF44	NF46	NF38	NF30	NF41

WOOD FINISHES



							
NF35	NF45	NF80	NF48	NF89	NF88	NF77	NF78
							
NF57	NF66	NF63	NF79	NF61	NF43	NF94	NF47
							
NF37	NF39	NF90	NF91	NF92	NF67	NF82	NF65
							
NF81	NF68	NF50	NF95	NF51	NF33	NF59	NF93
							
NF55	NF49	NF83	NF56	NF69	NF54	NF71	

WOOD FINISHES



NF52



NF60



NF26



T50



NH15



NH57



NH71



NH73



NH75



NH77



NH79



NH80



WI01



WI02



COLOUR FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.

 Suitable for external application




















 Not recommended for use on compound curves / stretching

 Overlaps preferred, splice joints not recommended



















COLOUR FINISHES






							
J3	J4	J7	J5	K4	K6	K5	
							
K2	K1	M7	M4	M6	M9	N3	NE56
							
NE77	NE55	NE78	NE79	NE82	NE80	NE81	NF15
							
NF16	NF11	NF10	NF08	NF09	RM26	RM10	RM12
							
RM11	RM01	RM02	RM28	RM14	RM03	RM06	RM29

COLOUR FINISHES



							
RM16	M0	M8	M1	L3	L50	RM30	RM19
							
RM08	NF05	M5	RM20	RM21	NE83	NF06	NF13
							
NE54	O6	O4	RM09	O8	RM23	O7	O2
							
NF01	RM25	NF03	NF02	NF07	NE53	RM07	RM15
							
RM13	M10	K7	RM27	M50	NF04	NF12	NF14

COLOUR FINISHES

					
NH02 	NH05 	NH06 	NH08 	NH21	NH22
					
NH24	NH27 	NH91 	NH92 	NH93 	
					
L2  	R9  	J16 	R14  	R16  	R15  
					
R13  	R6  	R5  	R19  	R17  	R18  



METALLIC FINISHES











Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.

- Suitable for external application
- Not recommended for use on compound curves / stretching
- Overlaps preferred, splice joints not recommended



METALLIC FINISHES



							
AL11	AL13	AL17	AL15	AL07	LPO1	NE51	NE47
							
NE48	NE49	ND02	ND03	ND07	ND04	ND01	NG28
							
NG29	P1	R3	Q2	Q1	Q50	Q3	
							
AU01	AU02	KI01	NH36	NH37	NH60	S1	Z2



STONE FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application




Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended



STONE FINISHES



STONE FINISHES





FABRIC FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application








Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended

FABRIC FINISHES



															
AL09		MK18		MK21		MK19		NE37		NE38		NE36		NE74	 
															
NE33		NE73	 	NG11	 	NG07	 	NG10		NG13		NG12	 	NG06	 
															
NG09	 	ST02		T10		T51		T12		W2					
															
NH18		NH19													





LEATHER FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application




Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended




LEATHER FINISHES




NG23




NG20



NG22




NG18



NG17




NG19



NG21



NE43



NE41



NE40




V4




X3




X5



X7



X50



X51



X52



COVER STYL'





TECHNICAL SPECIFICATIONS

The use of architectural film has become more prevalent over the last few years as there has been a shift in attitude toward using sustainable solutions and methods within the construction sector.

Wrapping doors or case goods instead of ripping out and sending to landfill is a powerful statement for any stakeholders within a refurbishment scheme.

We recommend you discuss all technical considerations for your project with one of our skilled installation partners. Please contact us to organise a consultation or trial application with a member of our installation network



DURABILITY

Due to the number of finishes available, durability varies between patterns and brands. Cover Styl' finishes typically last 10 years, standard 3M DI-NOC has a durability of 5 years for exterior applications but up to 12 years for indoor use. The specialist exterior range however is expected to last 10 years+ ensuring protection against defects in fading, peeling, discoloration or loss of adhesion.

ABRASION RESISTANCE

Superior to many common wall surfaces such as paint/wallpaper, an equivalent level of HPL. There are additional specialist ranges also available for high traffic areas, or where greater protection is sought.

IMPACT RESISTANCE

Performance is superior to many common wall surfaces such as paint/wallpaper. However, film surfaces can be dented if sufficient force is applied. Impact resistance is highly dependent on the strength of the substrate material onto which it is applied. As it is a vinyl, it offers a degree of cushioning on impact, where harder substrates such as laminates may crack with the same impact. However, the beauty of architectural film, is that any damage over its lifetime can be repaired with an invisible patch, without having to remove or replace any expensive panels.

CLEANING

Architectural films are made from durable PVC, meaning they are wipeable and practical. They are also resistant to staining by common substances e.g. food or household cleaners. Full technical spec sheets are available on request.

FIRE CERTIFICATION

Architectural films meet all building and IMO regulations with fire certifications available across the range. Should you require specific information by patterns, we can put you in touch with our technical department. Fire test results vary by finish and application substrate, with most classified as class B or C with low dripping and emissions.





ARCHITEXTURAL™

Surface. Designed.



For more information visit
www.architextural.co.uk



COVER STYL'

01833 690305

info@architextural.co.uk

www.architextural.co.uk



William Smith Group 1832 Grove Works Queen Street Barnard Castle DL12 8JQ

PART OF **WILLIAM SMITH GROUP 1832**

