



ARCHITEXTURAL™

Surface. Designed.





REFURB WITH FILM

Looking for an alternative refurbishment solution?

Self-adhesive films could be a simple and cost-effective alternative for your interior design projects. Create faux finishes by wrapping existing surfaces, saving landfill and avoiding the disruption of traditional refurbishments.

Looking for an installer?

We have a growing network of fully trained applicators who will be able to supply and install your projects with confidence. This elite group of installers, from fit out, sign and graphics companies, all share the same mission, to be one of the first to uncover exceptional ways to renovate building interiors and exteriors and to tap into the growing market of architectural finishes.

Architextural...

UK'S LARGEST STOCKIST OF ARCHITECTURAL FILM BRANDS.

1000+ patterns now on our shelves
More choice for your clients
No more long lead times

See our full range of films;
architextural.co.uk



ARCHITEXTURAL
Surface. Designed.



STANDARD RE-FITS
COST 7 TIMES MORE




NO LOSS OF
REVENUE



INCREASE REVENUE
FOR PREMIUM ROOMS



QUICK INSTALL WITH
NO BUILDING WORK



NOT JUST FOR
FLAT SURFACES



1500 REALISTIC TEXTURES
AND PATTERNS



TRANSFORM ONE ITEM
OR TRANSFORM MANY



A SUSTAINABLE
SOLUTION




FIRE TESTED, MOISTURE
AND HEAT RESISTANT

THEY SAY THAT FORM
FOLLOWS FUNCTION.
**WE SAY FORM
PRESERVES FUNCTION.**



TRANSFORMING INTERIORS

With eco-friendly materials fast becoming rising stars in the world of interiors, there are multiple benefits of using architectural films and how they can refurbish existing surfaces. Gone are the days when wrapping was exclusive to vehicles; architectural films have opened up a wealth of design possibilities.



SUSTAINABLE SOLUTION

On average, it costs seven times more to rip out and replace interiors. Wrapping with architectural films is a novel way to upcycle existing fixtures and fittings, rather than send to landfill.





MINIMAL DISRUPTION


Architectural films can be applied in situ, with no noise, mess or waste. Little equipment and minimal prep is needed, meaning less downtime and inconvenience for businesses and they can stay open throughout.

The films are lightweight and conformable so they can be heated and stretched around many shapes, corners and contours without the need for edge banding.



APPROVED

All finishes are fire tested and meet building regulations. And as the product is a PVC solution, it is fully water and heat resistant, as well as and hygienic, all of which are important in high-traffic venues such as gyms, bars and restaurants.





APPLICATION INSPIRATION





APPLICATION INSPIRATION

Here's a selection of recent transformations using self-adhesive architectural films. Wrapping existing surfaces is a cost-effective design solution for interior and exterior new building refurbishment projects, these vinyl films realistically recreate the visual effect of natural materials at a fraction of the cost.



Bar BEFORE



Bar AFTER



Shop counter BEFORE




Shop counter AFTER



Reception desk BEFORE



Reception desk AFTER



Kitchen cupboards BEFORE



Kitchen cupboards AFTER



Bar BEFORE




Bar AFTER



Display shelving BEFORE



Display shelving AFTER



Doors BEFORE



Doors AFTER



Lobby BEFORE



Lobby AFTER



OUR BRANDS

Architectural finishes are highly engineered, durable films, designed to look and feel like real-life materials. The films are often applied with heat, by skilled installers, to provide a realistic hardwearing finish. This allows you to create bespoke designs using less expensive materials, by wrapping them to look like authentic marble, wood or concrete.

With hundreds of patterns in stock, the possibilities really are unlimited, making in-vogue design more than achievable with architectural finishes. Mimicking the aesthetics of natural materials, architectural films offer unrivalled choice of on-trend patterns and an alternative method to upcycle existing substrates in an affordable, high-quality finish.



3M DI-NOC

The extended collection offers over 1000 finishes, 3M DI-NOC is the leading brand in the architectural market. We stock the largest range of patterns in the UK, offering the most in demand popular finishes by the metre. 3M DI-NOC finishes are flexible cast PVC self-adhesive films with a Comply adhesive for easy application, meaning you are assured a premium finish for your projects.

EX: 3M DI-NOC Exterior collection can add life to tired building fronts. These durable, dimensionally stable, and weather resistant surface finishes are designed to transform the exterior of buildings. The product offers great value to both commercial and residential refurbishments, due to its minimum downtime as a result of the ease of application and no drying time, unlike paint, with the product offering a life expectancy of up to 10 years. All Exterior finishes are marked as EX in the following sections.

AR: Abrasion Resistant finishes offers increased durability for high traffic applications where more impact resistance is needed. Matching the standard finishes, you can identify these by the AR in the product code.

MT: 3M's new ultra matt films, featuring a unique topcoat that has been developed to provide fingerprint and dirt resistance. The coating on the film also enables an even smoother finish and texture to the surface, due to the specular reflection. Available on a wide selection of woods, stone, textile and single colour patterns to create unrivalled interior designs with film. All finishes containing MT codes belong to this collection.



COVER STYL'

As the fastest growing brand of architectural film, Cover Styl' films are available in hundreds of colours and finishes. Used widely throughout Europe, this emerging brand is a fantastic option where budgets are tight as a great value engineering proposition for refurbishments.

The range is polymeric calendered, with a durability of up to 10 years for indoor applications. Available in a huge range of finishes including wood grains, marble, leather, super matt, glitter, fabric, colours and stone.

The films are robust and durable for wrapping existing surfaces. We stock the largest selection in the UK, offering affordable options by the metre.



LX Hausys

LX Hausys BENIF Interior Film is the latest Architectural Film added to the Architextural portfolio. The range provides a budget-friendly solution for updating interiors, allowing dramatic makeovers that can be easily achieved without any need to break the bank. With the film, you can easily transform surfaces such as walls, doors, furniture, and fittings, with minimal disruption and reduced environmental impact than alternative options such as ripping out and replacing. Ideal for both residential and commercial refurbishment projects.

Leading stockists in the UK

The LX Hausys BENIF Interior range includes 475 unique patterns with a wide array of colours, textures, and finishes to choose from. Architextural hold the largest stock of LX Hausys BENIF Interior Films in the UK with nearly 200 of the most popular patterns all readily available for next-day delivery.

The finishes

Finishes including Solid Colours, Metal, Marble & Stone, Leather & Fabric, as well as a variety of the most desirable Wood Grains. Included in this are the Big Wood and Big Marble patterns, that feature larger repeats, ideal for those large-scale commercial projects covering surfaces such as walls or wide panels. The Embossed Premium Wood Range also offers a unique option for those seeking a more realistic finish, with a textured wood grain that accurately matches and mimics the pattern.



VION®

The brand-new VION Décor Interior Film collection can be applied to furniture such as tables, chairs, doors, cabinets, and walls. Furniture and surfaces can easily be updated, personalised, and upcycled using wrapping. These entry-level films are ideal for straightforward flat applications with limited resources.

The finishes

The new VION Interior Film collection is available in a variety of essential on-trend textures, including wood grain, fabric, colour, glitter, marble, and concrete, with a choice of 25 colours and finishes.

Application

The ideal upcycling answer with little resources and equipment. Suitable exclusively for 2D applications and for surfaces that are flat or slightly curved. Features for simple application include: Cutting grid on the reverse lining, gentle heating with a heat gun on flat or slightly curved surfaces, and wipe clean sanitary surfaces.



Sustainability

Decal interior Film is one of the most sustainable films in the Architextural portfolio, with all films being PVC free. Decal's PVC free range is the natural choice for those who want to reinforce ecological solutions. Decal's films are a sustainable and safe option for all spaces, respecting the environment and regulatory requirements.

Application

The range also gives space to imagination in interior decoration. Combining aesthetics and design with effectiveness and functionality, it is perfect for those who buy, apply and enjoy. We introduce our textured polypropylene (PP) films, which create new atmospheres and generate new sensations with versatility, safety, resistance, ecology, and easy cleaning. A set of properties brought together in a single layer structure that makes it possible to idealize houses, offices, hotels, restaurants, shops and many other projects without investing in a total remodelling or making changes.

The finishes

In interior decoration, every detail counts for comfort, and the technical combination of printing and texture in the production of our All Decor 2d films makes the printed design and the deep pore of the relief totally coincident. With 20 different colours and finishes including woodgrain, metallic, stone and leather. Decal All Décor 2d contributes to creating natural and realistic textures.





ARCHITECTURAL FINISHES

Architextural, are part of William Smith Group 1832 and we stock the largest range of architectural films in the UK. Everything you see on the following pages are held in stock and available by the metre.

Visit our website to order samples of any of the finishes
www.architextural.co.uk



With hundreds of finishes in stock, the possibilities really are unlimited, making in-vogue design more than achievable with architectural finishes.

Choose from our extensive collection of finishes including Wood, Colours, Metallic, Stone, Fabric and Leather.





WOOD FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended



WOOD FINISHES




FW-1683



FW-1761



FW-788



FW-1138



FW-1208



FW-7001



FW-1307



FW-2421



FW-1304



FW-1976



FW-1302




FW-1745



FW-789



FW-1766



FW-1981



FW-1289



FW-1129



FW-1256



FW-1681



FW-1262



FW-1810



FW-1285



FW-1293



FW-327



FW-1214EX



FW-1755



FW-1296



FW-1130



FW-1122



FW-1259



FW-1286



FW-1123



FW-1972



FW-1272




FW-1122EX



FW-1805




FW-1287



FW-337



FW-1257



FW-1278




WOOD FINISHES



FW-236 FW-237 FW-1125 FW-888 FW-889 FW-233 FW-1124 FW-1021



FW-1215 FW-1022 FW-677 FW-650 FW-886 FW-1770 FW-1744 FW-651



FW-1113 FW-1801 FW-625 FW-330 FW-332 FW-656 FW-887 FW-627



FW-1971 FW-1216 FW-1986 FW-1970 FW-324 FW-1757 FW-1762 FW-1751



FW-1135 FW-653 FW-1127

WOOD FINISHES



MW-1244 MW-1418 MW-1833 MW-1832 MW-1834 MW-777 MW-1419 MW-776




WG-657 EX WG-960 WG-1067 WG-2076 WG-1343 WG-1838 WG-2246 WG-1358



WG-1144 WG-478 WG-833 WG-832 WG-243 WG-1141 WG-2944 WG-1143



WG-1710 WG-1337 WG-1837 AE-2168 WG-964 WG-1708 WG-1140 WG-1353



WG-696 WG-947 WG-1336 WG-2077 WG-1360 WG-1142 WG-697 WG-1375



WOOD FINISHES



WG-831



WG-1382



WG-836



WG-629




WG-7022



WG-364 GN



WG-763 GN



WG-865



WG-841



WG-417



WG-694



WG-943



WG-7024



WG-157



WG-1841



WG-1704



WG-1196



WG-695



WG-1376



WG-1374



WG-156



WG-1052



WG-1050



WG-1070



PW-2305MT



PW-2306MT



PW-2307MT



PW-2310MT




PW-2312MT



PW-2325MT



PW-2314MT



PW-2316MT



PW-2319MT

WOOD FINISHES



DW-1872 MT



DW-2202MT




DW-1883MT



DW-1875 MT



DW-2219 MT



DW-1889 MT



DW-1897 MT



DW-1878 MT




DW-2200MT



DW-2203MT




DW-2208MT



DW-1877 MT



DW-1890 MT



DW-2224 MT



DW-1884 MT



DW-1898MT



DW-2478MT



DW-1891 MT




DW-2226 MT



DW-1886MT



DW-2221MT



DW-1882MT




DW-2214MT



DW-1896MT



DW-1992MT







DW-2229MT





 COVER STYL'

WOOD FINISHES

							
AG16	AG18	AG15	AG17	AG09	AG10	AL29	AL36
							
AL23	AL10	AL30	AL26	AL08	AL28	AL24	AL34
							
AL14	AL12	AL25	AT03	AT05	AT02	AT06	AZ10
							
AZ06	AZ07	AZ02	AZ03	AZ01	AZ04	B50	B6
							
B5	B8	B4	B3	B1	B9	CT91	CT102


 COVER STYL'

WOOD FINISHES

						
A4	A1	AA15	AA12	AA13	AA09	AA11
						
AA08	AA14	AB02	AB03	AB06	AB05	AB07
						
AC02	AC04	AC01	AF07	AF02	AF03	AF09
						
AF05	AF08	AF06	AF01	AG13	AG01	AG07
						
AG04	AG20	AC14	AG21	AG08	AG11	AG02





 COVER STYL'

WOOD FINISHES

							
CT70	CT10	CT44	CT22	CT71	CT54	CT05	CT08
							
CT09	CT43	CT29	CT24	CT26	CT89	CT57	CT66
							
CT21	CT25	CT02	CT67	CT60	CT56	CT80	CT88
							
CT15	CT42	CT37	CT36	CT27	CT86	CT69	CT68
							
CT55	CT59	CT61	CT52	CT58	CT04	CT50	C2




















 COVER STYL'

WOOD FINISHES

							
CT18	CT17	CT35	CT73	CT74	CT92	CT93	CT95
							
CT90	CT19	CT13	CT14	CT76	CT94	CT79	CT100
							
CT101	CT40	CT96	CT28	CT33	CT84	CT62	CT20
							
CT45	CT49	CT16	CT97	CT48	CT41	CT01	CT06
							
CT53	CT46	CT75	CT98	CT99	CT78	CT87	CT77



WOOD FINISHES



							
D4	D1	E4	E50	F5	F4	F6	F7
							
G0	G6	AF10	AT04	H10	H50	H7	H6
							
CT82	H4	H5	I9	I14	I11	I7	I10
							
J17	J14	J18	J2	MA10	MA16	MA12	MA14
							
NE63	NE61	NE66	NE67	NE64	NE65	NE57	NE13


WOOD FINISHES



							
NE68	NE62	NE45	NE46	NF17	NF18	NF85	NF86
							
NF21	NF58	NF64	NF29	NF40	NF19	NF32	NF75
							
NF27	NF20	NF22	NF23	NF24	NF25	NF28	NF36
							
NF34	NF31	NF87	NF72	NF73	NF62	NF96	NF53
							
NF76	NF42	NF74	NF44	NF46	NF38	NF30	NF41


WOOD FINISHES



							
NF35	NF45	NF80	NF48	NF89	NF88	NF77	NF78
							
NF57	NF66	NF63	NF79	NF61	NF43	NF94	NF47
							
NF37	NF39	NF90	NF91	NF92	NF67	NF82	NF65
							
NF81	NF68	NF50	NF95	NF51	NF33	NF59	NF93
							
NF55	NF49	NF83	NF56	NF69	NF54	NF71	

WOOD FINISHES



							
NF52	NF60	NF26	T50				
							
NH15	NH57	NH71	NH73	NH75	NH77	NH79	NH80
							
WI01	WI02						















WOOD FINISHES



							
BW001	BW005	BW007	BW014	BW008	BW006	BW009	BW002
							
BW013	BW015	BW003	CW511	CW537	CW527	CW604	CW556
							
CW626	CW453	CW79	CW519	CW605	CW407	CW582	CW150
							
CW513	CW466	CW152	CW624	DW633	DW639	DW647	DW645
							
DW636	DW634	DW638	DW649	DW467	FWES3		

WOOD FINISHES



							
NW110	NW071	NW082	PW105	NW006	NW101	NW083	PW102
							
NW122	NW121	NW042	NW043	NW034	NW060	NW046	NW055
							
NW117	NW123	NW068	NW017	PW116	PW127	PW128	PW112
							
PW118	PW119	PW131	PW107	PW108	PW135	PW124	PW115
							
PW122	SW001	SW002	SW006	SW003			

WOOD FINISHES



Z3432



Z3426



Z3425



Z3411



Z3436



Z3410



Z3412



WOOD FINISHES



WOB1



WOB6



WOB2




WOB3



WOB4



WOB5




WOB7





COLOUR FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended






COLOUR FINISHES



PS-959	PS-1187	PS-1185	PS-983	PS-1436	PS-1186	PS-090	PS-031
PS-3989MT	PS-3904MT	PS-091	PS-093	PS-022	PS-034	PS-3098MT	PS-074
PS-2098 MT	PS-503	PS-955	PS-954	PS-971	PS-952	PS-3866MT	PS-950
PS-3093 MT	PS-949	PS-992	PS-3096MT	PS-110	PS-504	PS-293	PS-1005
PS-3870MT	PS-1440	PS-948	PS-999	PS-1183			





COLOUR FINISHES

						
PS-1443	PS-912	PS-1444	PS-134	PS-141	PS-1821	PS-1822
						
PS-1446	PS-135	PS-914	PS-665	PS-139	PS-1447	
						
PS-1450	PS-920	PS-506	PS-140	PS-668	PS-1825	PS-1826
						
PS-1454	PS-1455	PS-2060	PS-1823	PS-1457	PS-1824	
						
PS-1459	PS-910	PS-900	PS-1008	PS-1009	PS-107	



















COLOUR FINISHES

				
PS-096	PS-719	PS-1448	PS-1452	PS-112
				
PS-1442	PS-116	PS-713	PS-281	PS-1820
				
PS-2400MTRC	PS-2402MTRC	PS-2403MTRC	PS-2404MTRC	PS-2401MTRC
				
PS-959 EX	PS-976 EX	PS-957 EX	PS-2405MTRC	PS-2406MTRC
				
HG-1205				

















COLOUR FINISHES




							
J3	J4	J7	J5	K4	K6	K5	
							
K2	K1	M7	M4	M6	M9	N3	NE56
							
NE77	NE55	NE78	NE79	NE82	NE80	NE81	NF15
							
NF16	NF11	NF10	NF08	NF09	RM26	RM10	RM12
							
RM11	RM01	RM02	RM28	RM14	RM03	RM06	RM29

COLOUR FINISHES



							
RM16	M0	M8	M1	L3	L50	RM30	RM19
							
RM08	NF05	M5	RM20	RM21	NE83	NF06	NF13
							
NE54	O6	O4	RM09	O8	RM23	O7	O2
							
NF01	RM25	NF03	NF02	NF07	NE53	RM07	RM15
							
RM13	M10	K7	RM27	M50	NF04	NF12	NF14


COLOUR FINISHES



NH02 NH05 NH06 NH08 NH21 NH22



NH24 NH27 NH91 NH92 NH93



L2 R9 J16 R14 R16 R15 R11 R12



R13 R6 R5 R19 R17 R18 R7 R8




COLOUR FINISHES



RGM05 RGM04 RGM03 RGM10 RGM02 RGM01 RGM06 RS116



RS174 RS104 RS107 RS105 RS140 RS40 RS35 RS176



RS49 RS57 RS163 RS56 RS170 RS68 RS76 RS55




RS91 RS162 RS45 RS151 RS121 RS142 RS134 RS52




RS136 RS135 RS103 RS175 RS22 RP56



COLOUR FINISHES



RS130




RS86



RS118




RS119



RS181



RS58



RS125




RS165



RS120




RS127



RS177




RS89



RS61



RS27



RS128



RS51



RS166




RS123



RS87



RS31



RE03



SM001




SM005



SM003



SM006




SM008



SM007



COLOUR FINISHES



SCB5



SCB1



SCB6




SCB2



SCB4



SCB3



SCB7



GLB2



GLB1





METALLIC FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended



METALLIC FINISHES



PA-180	PA-046	PA-683	PA-039	PA-038	PA-320	PA-389	PG-189
PA-175	PA-036	PA-045	PA-187	PA-390	PA-185	HS-1655	HS-1656
ET-1775	ET-1772	CH-2116	CH-1629	TE-1650	TE-1714	TE-1713	TE-1652
AE-1643	AM-1720	AM-1701	AM-1699	RT-1112	RT-1111	RT-1827	RS-1189
FA-1521	FA-1166	FA-1962	FA-690	FA-688	FA-592	FA-1531	



METALLIC FINISHES



ME-2271	ME-1467 AR	ME-1716	ME-1466	ME-904	ME-377	ME-1435	ME-432
ME-147	ME-2024	ME-2022	ME-2023	ME-2020	ME-2027	ME-1174	ME-1225
ME-1781	ME-2285AR	ME-2265	ME-486	ME-2261	ME-2262	ME-388	ME-379
ME-1961	ME-1434	ME-2172	ME-2173	ME-2174	ME-2264	ME-1175	ME-1685
ME-396	ME-1223	ME-2554	ME-2559	ME-2564	ME-2562	ME-2551	ME-2552

METALLIC FINISHES



VM-305	VM-306	VM-381	VM-1691	VM-1692	VM-1693	VM-2035	VM-2034
VM-1855 MT	VM-1487	VM-1694	VM-2039	VM-2361	VM-381	VM-1862 MT	VM-800
PG-197	PA-1854 EX	PA-187 EX	PA-039 EX	PA-181AR	FE-1964	FE-1966	FE-1967
BW-1310	BW-1312	BW-1314	FA-1153	FA-1530EX	LW-1085	LW-1084	LW-1083
ME-1997	ME-009AR	ME-1224	CA-419	CA-418	CA-420	CA-421	CA-1170




METALLIC FINISHES



METALLIC FINISHES



METALLIC FINISHES



Z3431 Z3420 Z3437

METALLIC FINISHES



MIB1



STONE FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.

-  Suitable for external application
-  Not recommended for use on compound curves / stretching
-  Overlaps preferred, splice joints not recommended



STONE FINISHES



AE-1953	AE-1632	AE-1637	AE-1634	AE-2160	AE-2163MT	AE-1639	AE-1638
AE-1880MT	AE-1913MT	AE-2503	AE-2506	AE-2150	AE-2154	AE-2162MT	AE-1928MT
AE-2149	AE-1717	AE-1635	AE-2164MT	AE-1960MT	AE-1926MT	AE-1932MT	AE-1645
AE-1719	AE-1633	AE-1933MT	AE-1944MT	AE-1929MT	AE-1921MT	AE-1636	AE-1640
AE-1634EX	AE-2159	AE-2153MT	AE-1952	AE-1956	AE-1642	AE-1641	


STONE FINISHES



FA-1678	FA-1527	FA-1526	FA-1680	FA-2169	FA-1962		
ST-1914MT	ST-1831	ST-1911MT	ST-2170MT	ST-1927MT	ST-1828	ST-1829	ST-1829
ST-1918MT	ST-1912MT	ST-1912MT	ST-1586	ST-1920MT	ST-1830	ST-1916MT	ST-442EX
ST-2171MT	ST-737	ST-2533MT	ST-2534MT	ST-2536MT	ST-2539		
CN-1623	CN-1622	CN-1621	PC-491	PC-1179	PC-1178		



STONE FINISHES



STONE FINISHES



STONE FINISHES



BM001



BM007



BM008



BM002



BM003



BM009



BM004



BM011



BM005



BM010



BM012



BM006



RM12



EL177



EL176



ML67



ML56



ML23



ML57




ML77



ML75



ML76




ML71



ML58




ML24



ML72



ML80



ML74



STONE FINISHES



Z3434



Z3435



Z3414



Z3416



Z3415



Z3413



Z3430

STONE FINISHES



NSB1



NSB4



NSB2



NSB3



MAB2



MAB1



NSB5



NSB6



NSB7



NSB8





FABRIC FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended




FABRIC FINISHES



NU-1237	!	!	!	!	!	!	!
NU-2012	NU-2177	!	NU-2002	NU-2003	NU-2008	NU-2004	NU-2011
NU-1795	NU-2006	NU-2007	!	NU-2175MT	NU-2178	!	NU-2001
NU-2176MT-	NU-1787	!	!	!	!	!	NU-2009








FABRIC FINISHES

					
FE-1966	FE-804	FE-813	FE-801	FE-1729	FE-1730
					
SI-1686	SI-1232	SI-1235	SI-1613		



FABRIC FINISHES

							
AL09	MK18	MK21	MK19	NE37	NE38	NE36	NE74
							
NE33	NE73	NG11	NG07	NG10	NG13	NG12	NG06
							
NG09	ST02	T10	T51	T12	W2		
							
NH18	NH19						



FABRIC FINISHES



ML49




ML47



ML45




ML48



SF009



SF003



SF002



SF005



SF008



SF006



SF007



SF001



SF010



EL235



FABRIC FINISHES



FAB1



FAB2



FAB3





LEATHER FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching




Overlaps preferred, splice joints not recommended

LEATHER FINISHES

LE-1105	LE-1552	LE-018	LE-2128	LE-1109	LE-1108
LE-2782	LE-1555	LE-1229	LE-1228	LE-517	
LE-1106	LE-1231	LE-1171	LE-1551	LE-1104	
SU-2232 MT	SU-2233 MT	SU-2231 MT	SU-2234 MT	SU-2235 MT	



LEATHER FINISHES



NG23




NG20




NG22



NG18



NG17




NG19



NG21




NE43



NE41



NE40



V4




X3



X5




X7



X50



X51




X52



LEATHER FINISHES



ML31




ML85

LEATHER FINISHES



Z3421



Z3422





TECHNICAL SPECIFICATIONS

The use of architectural film has become more prevalent over the last few years as there has been a shift in attitude toward using sustainable solutions and methods within the construction sector.

Wrapping doors or case goods instead of ripping out and sending to landfill is a powerful statement for any stakeholders within a refurbishment scheme.

We recommend you discuss all technical considerations for your project with one of our skilled installation partners. Please contact us to organise a consultation or trial application with a member of our installation network



DURABILITY

Due to the number of finishes available, durability varies between patterns and brands. Cover Styl' finishes typically last 10 years, standard 3M DI-NOC has a durability of 5 years for exterior applications but up to 12 years for indoor use. The specialist exterior range however is expected to last 10 years+ ensuring protection against defects in fading, peeling, discoloration or loss of adhesion.

ABRASION RESISTANCE

Superior to many common wall surfaces such as paint/wallpaper, an equivalent level of HPL. There are additional specialist ranges also available for high traffic areas, or where greater protection is sought.

IMPACT RESISTANCE

Performance is superior to many common wall surfaces such as paint/wallpaper. However, film surfaces can be dented if sufficient force is applied. Impact resistance is highly dependent on the strength of the substrate material onto which it is applied. As it is a vinyl, it offers a degree of cushioning on impact, where harder substrates such as laminates may crack with the same impact. However, the beauty of architectural film, is that any damage over its lifetime can be repaired with an invisible patch, without having to remove or replace any expensive panels.

CLEANING

Architectural films are made from durable PVC, meaning they are wipeable and practical. They are also resistant to staining by common substances e.g. food or household cleaners. Full technical spec sheets are available on request.

FIRE CERTIFICATION

Architectural films meet all building and IMO regulations with fire certifications available across the range. Should you require specific information by patterns, we can put you in touch with our technical department. Fire test results vary by finish and application substrate, with most classified as class B or C with low dripping and emissions.





ARCHITEXTURAL™

Surface. Designed.



For more information visit
www.architextural.co.uk

01833 690305

info@architextural.co.uk

www.architextural.co.uk



William Smith Group 1832 Grove Works Queen Street Barnard Castle DL12 8JQ

PART OF **WILLIAM SMITH GROUP 1832**

